DSM-IV Classification

16 major diagnostic classes + other conditions section

NOS = Not Otherwise Specified.

An x appearing in a diagnostic code indicates that a specific code number is required.

An ellipsis (...) is used in the names of certain disorders to indicate that the name of a specific mental disorder or general medical condition should be inserted when recording the name (e.g., 293.0 Delirium Due to Hypothyroidism).

 Numbers in parentheses are page numbers.

If criteria are currently met, one of the following severity specifiers may be noted after the diagnosis:

Mild Moderate Severe

If criteria are no longer met, one of the following specifiers may be noted:

In Partial Remission In Full Remission Prior History Disorders Usually First
Diagnosed in Infancy
Childhood, or Adolescence

MENTAL RETARDATION (39)

Note: These are coded on Axis II.
317 Mild Mental Retardation (41)
318.0 Moderate Mental Retardation (41)
318.1 Severe Mental Retardation (41)
318.2 Profound Mental Retardation (41)
319 Mental Retardation, Severity
Unspecified (42)

LEARNING DISORDERS (46)

315.00 Reading Disorder (48)
315.1 Mathematics Disorder (50)
315.2 Disorder of Written Expression (51)
315.9 Learning Disorder NOS (53)

MOTOR SKILLS DISORDER

315.4 Developmental Coordination Disorder (53)

COMMUNICATION DISORDERS (55)

315.31 Expressive Language
Disorder (55),
315.31 Mixed Receptive-Expressive
Language Disorder (58)
315.39 Phonological Disorder (61)
307.0 Stuttering (63)
307.9 Communication Disorder
NOS (65)

PERVASIVE DEVELOPMENTAL DISORDERS (65)

299.00 Autistic Disorder (66)299.80 Rett's Disorder (71)

14 DSM-IV Classification

299.10	Childhood Disintegrative		OTHER DISORDERS OF INFANCY,	
	Disorder (73)			HOOD, OR ADOLESCENCE
	Asperger's Disorder (75)		309.21	Separation Anxiety Disorder (110) Specify if: Early Onset
299.80	Pervasive Developmental		313.23	
	Disorder NOS (77)			
A TPTT? NT	TYON DESCREASED		313.89	
ATTENTION-DEFICIT AND DISRUPTIVE BEHAVIOR				of Infancy or Early Childhood (116)
DISORDERS (78)				Specify type: Inhibited Type/
				Disinhibited Type
314.XX	Attention-Deficit/Hyperactivity		307.3	Stereotypic Movement
0.3	Disorder (78)			Disorder (118)
.01	Combined Type			Specify if: With Self-Injurious Behavior
.00	Predominantly Inattentive Typ	эе		
.01	Predominantly		313.9	Disorder of Infancy, Childhood,
314.9	Hyperactive-Impulsive Type			or Adolescence NOS (121)
	Attention-Deficit/Hyperactivity			
	Disorder NOS (85)			
312.8	Conduct Disorder (85)			rium, Dementia, and
	Specify type: Childhood-Onset Type/ Adolescent-Onset Type			
313.81				estic and Other Cognitive
J1J.01	Disorder (91)		Disq	rders (123) 2 (22323 24232 25
312.9	Disruptive Behavior Disorder	, ^		
J1 2 .,	NOS (94)	(6)	DELIRI	UM (124)
	1.00 () 1)	()	293.0	Delirium Due to [Indicate
FEEDING AND EATING DISORDERS				the General Medical
OF INFANCY OR EARLY				Condition] (127)
CHILD	HOOD (94)			Substance Intoxication Delirium
307.52	Pica (95)			(refer to Substance-Related
307.53	Rumination Disorder (96)			Disorders for substance-specific
	Feeding Disorder of Infancy or		,	codes) (129)
	Early Childhood (98)			Substance Withdrawal Delirium
	•			(refer to Substance-Related
	SORDERS (100)			Disorders for substance-specific
	Tourette's Disorder (101)			codes) (129)
307.22	Chronic Motor or Vocal Tic			Delirium Due to Multiple
	Disorder (103)			Etiologies (code each of the
307.21	Transient Tic Disorder (104)			specific etiologies) (132)
	Specify if: Single Episode/Recurrent		780.09	Delirium NOS (133)
307.20	Tic Disorder NOS (105)		•	
CT INGER	TATION DISORDERS (106)	10)	DEMEN	NTIA (133)
	NATION DISORDERS (106) Encopresis (106)	(0)	290.xx	Dementia of the Alzheimer's
	•	'		Type, With Early Onset (also
787.6	With Constipation and			code 331.0 Alzheimer's disease
207 7	Overflow Incontinence			on Axis III) (139)
307.7	Without Constipation and		.10	Uncomplicated
	Overflow Incontinence		.10	With Delirium
307.6	Enuresis (Not Due to a General			With Delusions
	Medical Condition) (108)		.12	
	Specify type: Nocturnal Only/Diumal Only/Nocturnal and Diurnal		.13	With Depressed Mood
	Omy/Noctornal and Diumai			Specify if: With Behavioral Disturbance

ERS OF INFANCY, R'ADOLESCENCE on Anxiety Disorder (110) Early Onse e Mutism (114) Attachment Disorder cy or Early പ്പരി Inhibited Type/ d Type nic Movement (118)With Self-Injurious Behavior of Infancy, Childhood. cence NOS (121)

entia, and Other Cognitiv

ue to . . . [Indicate 4 Medical (127)ntoxication Delirium bstance-Related r substance-specific

Vithdrawal Delirium stance-Related r substance-specific

e to Multiple ode each of the rgies) (132) S (133)

the Alzheimer's arly Onset (also !zheimer's disease 139) ated ium sions essed Mood ehavioral Disturbance

290 xx. Dementia of the Alzheimer's Type, With Late Onset (also code 331.0 Alzbeimer's disease on Axis III) (139) .0.

Uncomplicated With Delirium 3.3

With Delusions .20

With Depressed Mood _{(Υ΄Ω}′.21 Specify If: With Behavioral Disturbance along the same

Vascular Dementia (143) 290.xx

Uncomplicated 75.40

With Delirium

. .41 With Delusions .42

With Depressed Mood .43 Specify if: With Behavioral Disturbance

Dementia Due to HIV Disease 294.9 (also code 043.1 HIV infection affecting central nervous system on Axis III) (148)

Dementia Due to Head Trauma (also code 854.00 bead injury on Axis III) (148)

294.1 Dementia Due to Parkinson's Disease (also code 332.0 Parkinson's disease on Axis III) (148)

294.1 Dementia Due to Huntington's Disease (also code 333.4 Huntington's disease on Axis III) (149)

290.10 Dementia Due to Pick's Disease. (also code 331.1 Pick's disease on Axis III) (149)

290.10 Dementia Due to Creutzfeldt-Iakob Disease (also code 046.1 Creutzfeldt-Jakob disease on Axis III) (150)

294.1 Dementia Due to . . . [Indicate the General Medical Condition not listed abovel (also code the general medical condition on Axis III) (151)

Substance-Induced Persisting Dementia (refer to Substance-Related Disorders for substancespecific codes) (152)

Dementia Due to Multiple Etiologies (code each of the specific etiologies) (154)

Dementia NOS (155) 294.8

AMNESTIC DISORDERS (156)

294.0 Amnestic Disorder Due to . . . [Indicate the General Medical Condition (158) Specify if: Transient/Chronic

Substance-Induced Persisting Amnestic Disorder (refer to Substance-Related Disorders for substance-specific codes) (161)

294.8 Amnestic Disorder NOS (163)

OTHER COGNITIVE DISORDERS (163)

Cognitive Disorder NOS (163)

Mental Disorders Due to a General Medical Condition Not Elsewhere Classified (46

293.89 Catatonic Disorder Due to . . . [Indicate the General Medical Condition (169)

310.1 Personality Change Due to . . . [Indicate the General Medical Condition (171) Specify type: Labile Type/Disinhibited Type/Aggressive Type/Apathetic Type/ Paranoid Type/Other Type/Combined Type/Unspecified Type

293.9 Mental Disorder NOS Due to . . . [Indicate the General Medical Condition (174)

Substance Related Disorders (175)

^aThe following specifiers may be applied to Substance Dependence:

With Physiological Dependence/Without Physiological Dependence

Early Full Remission/Early Partial Remission Sustained Full Remission/Sustained Partial Remission

On Agonist Therapy/In a Controlled Environment

The following specifiers apply to Substance-Induced Disorders as noted:

^lWith Onset During Intoxication/^WWith Onset During Withdrawal

ALCOHOL-RELATED DISORDERS (194)

Alcohol Use Disorders

303.90 Alcohol Dependence (195) 305.00 Alcohol Abuse (196)

Alcohol-Induced Disorders

- 303.00 Alcohol Intoxication (196)
 291.8 Alcohol Withdrawal (197)
 Specify if: With Perceptual Disturbances
 291.0 Alcohol Intoxication Delirium (129)
 291.0 Alcohol Withdrawal Delirium (129)
- 291.2 Alcohol-Induced Persisting Dementia (152)
- 291.1 Alcohol-Induced Persisting Amnestic Disorder (161)
- 291.x Alcohol-Induced Psychotic Disorder (310)
 - .5 With Delusions^{I,W}
 - .3 With Hallucinations^{I,W}
- 291.8 Alcohol-Induced Mood Disorder^{I,W} (370)
- 291.8 Alcohol-Induced Anxiety Disorder^{1,tw} (439)
- 291.8 Alcohol-Induced Sexual Dysfunction^I (519)
- 291.8 Alcohol-Induced Sleep Disorder^{I,W} (601)
- 291.9 Alcohol-Related Disorder NOS (204)

AMPHETAMINE (OR AMPHETAMINE-LIKE)-RELATED DISORDERS (204)

Amphetamine Use Disorders

304.40 Amphetamine Dependence^a (206) 305.70 Amphetamine Abuse (206)

Amphetamine-Induced Disorders

- 292.89 Amphetamine Intoxication (207) Specify if: With Perceptual Disturbances
- 292.0 Amphetamine Withdrawal (208)
- 292.81 Amphetamine Intoxication Delirium (129)
- 292.xx Amphetamine-Induced Psychotic Disorder (310)
 - .11 With Delusions^l
 - .12 With Hallucinations^I
- 292.84 Amphetamine-Induced Mood Disorder^{I,W} (370)
- 292.89 Amphetamine-Induced Anxiety Disorder¹ (439)
- 292.89 Amphetamine-Induced Sexual Dysfunction^I (519)
- 292.89 Amphetamine-Induced Sleep Disorder^{1,W} (601)
- 292.9 Amphetamine-Related Disorder NOS (211)

CAFFEINE-RELATED DISORDERS (212)

Caffeine-Induced Disorders

- 305.90 Caffeine Intoxication (212)
- 292.89 Caffeine-Induced Anxiety Disorder^I (439)
- 292.89 Caffeine-Induced Sleep Disorder (601)
- 292.9 Caffeine-Related Disorder NOS (215)

CANNABIS-RELÁTED DISORDERS (215)

Cannabis Use Disorders

- 304.30 Cannabis Dependence^a (216)
- 305.20 Cannabis Abuse (217)

Cannabis-Induced Disorders

- 292.89 Cannabis Intoxication (217)
 Specify if: With Perceptual Disturbances
- 292.81 Cannabis Intoxication Delirium (129)

(OR AMPHETAMINE-DISORDERS (204)

se Disorders

nine Dependence^a (206) nine Abuse (206)

iduced Disorders

nine Intoxication (207) 7th Perceptual Disturbances nine Withdrawal (208) nine Intoxication 129) nine-Induced

Disorder (310) elusions¹ allucinations¹ tine-Induced Mood (370)

une-Induced Anxiety 439) 'ine-Induced Sexual

n^I (519) ine-Induced Sleep (601)

ine-Related Disorder

D DISORDERS (212)

Disorders

coxication (212) duced Anxiety (39) duced Sleep

lated Disorder

D DISORDERS (215)

rders

i01)

ependence^a (216) buse (217)

Disorders

:oxication (217)
Perceptual Disturbances
Oxication
(9)

292.xx Cannabis-Induced Psychotic Disorder (310)

11 With Delusions

12 With Hallucinations1

292.89 Cannabis-Induced Anxiety Disorder¹ (439)

292.9 Cannabis-Related Disorder NOS (221)

COCAINE-RELATED DISORDERS (221)

Cocaine Use Disorders

304.20, Cocaine Dependence^a (222) 305.60 Cocaine Abuse (223)

Cocaine-Induced Disorders

292.89 Cocaine Intoxication (223)

Specify if: With Perceptual Disturbances

292.0 Cocaine Withdrawal (225)

292.81 Cocaine Intoxication Delirium (129)

.12

292.xx Cocaine-Induced Psychotic

Disorder (310)

11 With Delusions¹

With Hallucinations¹

292.84 Cocaine-Induced Mood Disorder^{I,W} (370)

292.89 Cocaine-Induced Anxiety Disorder^{I,W} (439)

292.89 Cocaine-Induced Sexual Dysfunction¹ (519)

292.89 Cocaine-Induced Sleep Disorder^{I,W} (601)

292.9 Cocaine-Related Disorder NOS (229)

HALLUCINOGEN-RELATED DISORDERS (229)

Hallucinogen Use Disorders

304.50 Hallucinogen Dependence (230) 305.30 Hallucinogen Abuse (231)

Hallucinogen-Induced Disorders

292.89 Hallucinogen Intoxication (232)

292.89 Hallucinogen Persisting
Perception Disorder
(Flashbacks) (233)

292.81 Hallucinogen Intoxication Delirium (129)

292.xx Hallucinogen-Induced Psychotic Disorder (310)

.11 With Delusions

.12 With Hallucinations¹

292.84 Hallucinogen-Induced Mood Disorder¹ (370)

292.89 Hallucinogen-Induced Anxiety Disorder¹ (439)

292.9 Hallucinogen-Related Disorder NOS (236)

INHALANT-RELATED DISORDERS (236)

Inhalant Use Disorders

304.60 Inhalant Dependence² (238)

305.90 Inhalant Abuse (238)

Inhalant-Induced Disorders

292.89 Inhalant Intoxication (239)

292.81 Inhalant Intoxication Delirium (129)

292.82 Inhalant-Induced Persisting Dementia (152)

292.xx Inhalant-Induced Psychotic Disorder (310)

.11 With Delusions^I

.12 With Hallucinations^I

292.84 Inhalant-Induced Mood Disorder¹ (370)

292.89 Inhalant-Induced Anxiety Disorder^I (439)

292.9 Inhalant-Related Disorder NOS (242)

NICOTINE-RELATED DISORDERS (242)

Nicotine Use Disorder

305.10 Nicotine Dependence^a (243)

Nicotine-Induced Disorder

292.0 Nicotine Withdrawal (244)

292.9 Nicotine-Related Disorder NOS (247)

OPIOID-RELATED DISORDERS (247)

Opioid Use Disorders

304.00 Opioid Dependence^a (248)

305.50 Opioid Abuse (249)

SEDATIVE-, HYPNOTIC-, OR ANXIOLYTIC-RELATED DISORDERS (261)

Sedative, Hypnotic, or Anxiolytic Use Disorders

304.10 Sedative, Hypnotic, or Anxiolytic Dependence^a (262)

POLYSUBSTANCE-RELATED DISORDER

304.80 Polysubstance Dependence^a (270)

c, or Anxiolytic

orders c, or Anxiolytic

c, or Anxiolytic

ptual Disturbances c, or Anxiolytic ium (129) c, or Anxiolytic um (129)

ic-, or d Persisting

ic-, or d Persisting r (161) ic-, or d Psychotic

itions^{i,w} ic-, or d Mood

ic-, or d Anxiety

ic-, or 1 Sexual

1 Sleep

ic-, or

ic-, or

))

endence^a (270)

OTHER (OR UNKNOWN) SUBSTANCE-RELATED DISORDERS (270)

Other (or Unknown) Substance **Use Disorders**

304.90 Other (or Unknown) Substance Dependence^a (176)

305.90 Other (or Unknown) Substance Abuse (182)

Other (or Unknown) Substance-Induced Disorders

292.89 Other (or Unknown) Substance Intoxication (183) Specify if: With Perceptual Disturbances

Other (or Unknown) Substance 292.0 Withdrawal (184) Specify if: With Perceptual Disturbances

292.81 Other (or Unknown) Substance-Induced Delirium (129)

292.82 Other (or Unknown) Substance-Induced Persisting Dementia (152)

292.83 Other (or Unknown) Substance-Induced Persisting Amnestic Disorder (161)

292.xx Other (or Unknown) Substance-Induced Psychotic Disorder (310)

With Delusions^{I,W} .11

With Hallucinations^{1,w} .12

292.84 Other (or Unknown) Substance-Induced Mood Disorder^{1,w} (370)

292.89 Other (or Unknown) Substance-Induced Anxiety Disorder^{I,W} (439)

292.89 Other (or Unknown) Substance-Induced Sexual Dysfunction^I (519)

292.89 Other (or Unknown) Substance-Induced Sleep Disorder^{I,W} (601)

292.9 Other (or Unknown) Substance-Related Disorder NOS (272)

Schizophrenia and Other Psychotic Disorders ② 7

295.xx Schizophrenia (274)

The following Classification of Longitudinal Course applies to all subtypes of Schizopbrenia:

Episodic With Interepisode Residual Symptoms (specify if: With Prominent Negative Symptoms)/Episodic With No Interepisode Residual Symptoms

Continuous (specify if: With Prominent Negative Symptoms)

Single Episode In Partial Remission (specify if: With Prominent Negative Symptoms)/Single Episode In Full Remission Other or Unspecified Pattern

.30 Paranoid Type (287)

Disorganized Type (287) .10

.20 Catatonic Type (288)

Undifferentiated Type (289) .90

Residual Type (289) .60

295.40 Schizophreniform Disorder (290) Specify if: Without Good Prognostic Features/With Good Prognostic Features

295.70 Schizoaffective Disorder (292) Specify type: Bipolar Type/ Depressive Type

297.1 Delusional Disorder (296) Specify type: Erotomanic Type/Grandiose Type/jealous Type/Persecutory Type/Somatic Type/Mixed Type/Unspecified Type

Brief Psychotic Disorder (302) 298.8 Specify if: With Marked Stressor(s)/Without Marked Stressor(s)/With Postpartum Onset

297.3 Shared Psychotic Disorder (305)

293.xx Psychotic Disorder Due to . . . [Indicate the General Medical Condition (306)

With Delusions .81

With Hallucinations .82

Substance-Induced Psychotic Disorder (refer to Substance-Related Disorders for substancespecific codes) (310) Specify if: With Onset During Intoxication/With Onset During Withdrawal

Psychotic Disorder NOS (315) 298.9

Mood Disorders (\$17)

Code current state of Major Depressive Disorder or Bipolar I Disorder in fifth digit:

- 1 = Mild
- 2 = Moderate
- 3 = Severe Without Psychotic Features
- 4 = Severe With Psychotic Features Specify: Mood-Congruent Psychotic Features/Mood-Incongruent Psychotic Features
- 5 = In Partial Remission
- 6 = In Full Remission
- 0 Unspecified

The following specifiers apply (for current or most recent episode) to Mood Disorders as noted:

*Severity/Psychotic/Remission Specifiers/Chronic/With Catatonic Features/With Melancholic Features/With Atypical Features/With Postpartum Onset

The following specifiers apply to Mood Disórders as noted:

⁸With or Without Full Interepisode Recovery/ hWith Seasonal Pattern/With Rapid Cycling

301.13 Cyclothymic Disorder (363)

296.80 Bipolar Disorder NOS (366)

293.83 Mood Disorder Due to ... 'Indicate the General Medical Condition (366) Specify type: With Depressive Features/With Major Depressive-Like Episode/With Manic Features/With

Substance-Induced Mood Disorder (refer to Substance-Related Disorders for substancespecific codes) (370) Specify type: With Depressive Features/With Manic Features/With Mixed Features Specify if: With Onset During Intoxication/With Onset During Withdrawal

296.90 Mood Disorder NOS (375)

DEPRESSIVE DISORDERS

296.xx Major Depressive Disorder, (339) 🕽

Single Episode^{a,b,c,d,e,f} 2x

Recurrenta,b,c,d,e,f,g,h .3x

300.4 Dysthymic Disorder (345) Specify if: Early Onset/Late Onset Specify: With Atypical Features

Depressive Disorder NOS (350) 311

BIPOLAR DISORDERS

296.xx Bipolar I Disorder, (350)

Single Manic Episode^{a,c,f} .0xSpecify if: Mixed

.40 Most Recent Episode Hypomanic^{8,h,i}

.4x Most Recent Episode Manica,c,f,g,h,i

.6x Most Recent Episode $Mixed^{a,c,f,g,h,i}$

.5x Most Recent Episode Depresseda,b,c,d,e,f,g,h,i

.7 Most Recent Episode Unspecified^{g,h,i}

296.89 Bipolar II Disorder^{a,b,c,d,e,f,g,h,i} (359) Specify (current or most recent episode): Hypomanic/Depressed

Anxiety Disorders

300.01 Panic Disorder Without Agoraphobia (397)

300.21 Panic Disorder With Agoraphobia (397)

300.22 Agoraphobia Without History of Panic Disorder (403)

Specific Phobia (405) 300.29 Specify type: Animal Type/Natural Environment Type/Blood-Injection-Injury Type/Situational Type/Other Type

300.23 Social Phobia (411) Specify if: Generalized

(6) 300.3 Obsessive-Compulsive Disorder (417)

Specify if: With Poor Insight

(11 \ 309.81 Posttraumatic Stress Disorder (424) Specify if: Acute/Chronic Specify if: With Delayed Onset

308.3 Acute Stress Disorder (429)

300,02 Generalized Anxiety Disorder (432)

293.89 Anxiety Disorder Due to . . . [Indicate the General Medical Condition (436)

Specify if: With Generalized Anxiety/ With Panic Attacks/With Obsessive-Compulsive Symptoms

Disorder (363) der NOS (366)

er Due to ...

General Medical

366)

th Depressive
ajor Depressive-Like
unic Features/With

fuced Mood

r to Substanceders for substance) (370)
h Depressive
mic Features/With

Priset During Onset During

r NOS (375)



Without
397)
With
397)
Without History of
(403)
(405)
al Type/Natural
/Blood-Injectiononal Type/Other Type
411)
zed

or Insight tress Disorder (424) hronic layed Onset sorder (429) xiety

upulsive

er Due to .

meral Medical

5)

neralized Anxiety/
With Obsessive-

ms.

Substance-Induced Anxiety
Disorder (refer to SubstanceRelated Disorders for substancespecific codes) (439)
Specify if: With Generalized
Anxiety/With Panic Attacks/With
Obsessive-Compulsive Symptoms/
With Phobic Symptoms
Specify if: With Onset During
Intoxication/With Onset During
Withdrawal

300.00 Anxiety Disorder NOS (444)

Somatoform Disorders 445

300.81 Somatization Disorder (446) 300.81 Undifferentiated Somatoform Disorder (450) Conversion Disorder (452) 300.11 Specify type: With Motor Symptom or Deficit/With Sensory Symptom or Deficit/With Seizures or Convulsions/With Mixed Presentation 307.xx Pain Disorder (458) .80 Associated With Psychological Factors .89 Associated With Both Psychological Factors and a General Medical Condition Specify if: Acute/Chronic 300.7 Hypochondriasis (462) Specify if: With Poor Insight 300.7 Body Dysmorphic Disorder (466)

Factitious Disorders (474)

300.81 Somatoform Disorder NOS (468)

300.xx Factitious Disorder (471)
.16 With Predominantly
Psychological Signs and

Symptoms
.19 With Predominantly Physical
Signs and Symptoms

.19 With Combined Psychological and Physical Signs and Symptoms

300.19 Factitious Disorder NOS (475)

Dissociative Disorders (\$77)

300.12 Dissociative Amnesia (478)
300.13 Dissociative Fugue (481)
300.14 Dissociative Identity Disorder (484)
300.6 Depersonalization Disorder (488)
300.15 Dissociative Disorder NOS (490)

Sexual/and Gender :: Ildentity Disorders (49)

SEXUAL DYSFUNCTIONS (493)

The following specifiers apply to all primary Sexual Dysfunctions:

Lifelong Type/Acquired Type Generalized Type/Situational Type Due to Psychological Factors/Due to Combined Factors

Séxual Desire Disorders

302.71 Hypoactive Sexual Desire
Disorder (496)
302.79 Sexual Aversion Disorder (499)

Sexual Arousal Disorders

302.72 Female Sexual Arousal
Disorder (500)
302.72 Male Erectile Disorder (502)

Orgasmic Disorders

302.73 Female Orgasmic Disorder (505)
302.74 Male Orgasmic Disorder (507)
302.75 Premature Ejaculation (509)

Sexual Pain Disorders

302.76 Dyspareunia (Not Due to a General Medical Condition) (511)
306.51 Vaginismus (Not Due to a General Medical Condition) (513)

Sexual Dysfunction Due to a General Medical Condition (515)

625.8 Female Hypoactive Sexual
Desire Disorder Due to . . .
[Indicate the General Medical
Condition] (515)

608.89 Male Hypoactive Sexual
Desire Disorder Due to . . .
[Indicate the General Medical
Condition] (515)

- 607.84 Male Erectile Disorder Due to
 [Indicate the General Medical
 Condition] (515)
 625.0 Female Dyspareunia Due to ...
- 625.0 Female Dyspareunia Due to . .
 [Indicate the General Medical
 Condition] (515)
- 608.89 Male Dyspareunia Due to . . .
 [Indicate the General Medical Condition] (515)
- 625.8 Other Female Sexual Dysfunction
 Due to . . . [Indicate the General
 Medical Condition] (515)
- 608.89 Other Male Sexual Dysfunction
 Due to . . . [Indicate the General Medical Condition] (515)
- ----- Substance-Induced Sexual
 Dysfunction (refer to SubstanceRelated Disorders for substancespecific codes) (519)
 Specify if: With Impaired Desire/
 With Impaired Arousal/With Impaired
 Orgasm/With Sexual Pain
 Specify if: With Onset During
 Intoxication
- 302.70 Sexual Dysfunction NOS (522)

PARAPHILIAS (522)

- 302.4 Exhibitionism (525)
- 302.81 Fetishism (526)
- 302.89 Frotteurism (527)
- 302.2 Pedophilia (527)

 Specify if: Sexually Attracted to Males/Sexually Attracted to Females/
 Sexually Attracted to Both

 Specify if: Limited to Incest

 Specify type: Exclusive Type/
 Nonexclusive Type
- 302.83 Sexual Masochism (529)
- 302.84 Sexual Sadism (530)
- 302.3 Transvestic Fetishism (530) Specify if: With Gender Dysphoria
- 302.82 Voyeurism (532)
- 302.9 Paraphilia NOS (532)

GENDER IDENTITY DISORDERS (532)

- 302.xx Gender Identity Disorder (532)
 - .6 in Children
 - .85 in Adolescents or Adults

 Specify if: Sexually Attracted to Males/
 Sexually Attracted to Females/Sexually
 Attracted to Both/Sexually Attracted to
 Neither
- 302.6 Gender Identity Disorder NOS (538) •
- 302.9 Sexual Disorder NOS (538)

Eating Disorders (539):

- 307.1 Anorexia Nervosa (539) Specify type: Restricting Type, Binge-Eating/Purging Type
- 307.51 Bulimia Nervosa (545) Specify type: Purging Type/ Nonpurging Type
- 307.50 Eating Disorder NOS (550)

Sleep Disorders (551)

PRIMARY SLEEP DISORDERS (553)

Dyssomnias (553)

- 307.42 Primary Insomnia (553)
- 307.44 Primary Hypersomnia (557) Specify if: Recurrent
- 347 Narcolepsy (562)
- 780.59 Breathing-Related Sleep Disorder (567)
- 307.45 Circadian Rhythm Sleep
 Disorder (573)
 Specify type: Delayed Sleep Phase
 Type/Jet Lag Type/Shift Work Type/
- Unspecified Type 307.47 Dyssomnia NOS (579)

Parasomnias (579)

- 307.47 Nightmare Disorder (580)
- 307.46 Sleep Terror Disorder (583)
- 307.46 Sleepwalking Disorder (587)
- 307.47 Parasomnia NOS (592)

*DISORDERS (532) tity Disorder (532)

en icents or Adults

ally Attracted to Males/ ed to Females/Sexually h/Sexually Attracted to

tity Disorder

Jer NOS (538)



vosa (539) fricting Type; ging Type osa (545) ging Type/

er NOS (550)



DRDERS (553)

nia (553) somnia (557) mt

i2) ted Sleep

am Sleep

red Sleep Phase 'Shift Work Type/

S (579)

rder (580) sorder (583) isorder (587) \$ (592)

SLEEP DISORDERS RELATED TO ANOTHER MENTAL DISORDER (592)

307.42 Insomnia Related to ...
[Indicate the Axis I or Axis II
Disorder] (592)

307.44 Hypersomnia Related to . . .

' [Indicate the Axis I or Axis II Disorder] (592)

OTHER SLEEP DISORDERS

780.xx Sleep Disorder Due to . . .
[Indicate the General Medical
Condition] (597)

.52 Insomnia Type

.54 Hypersomnia Type

.59 Parasomnia Type

.59 Mixed Type

- Substance-Induced Sleep Disorder
(refer to Substance-Related
Disorders for substance-specific
codes) (601)
Specify type: Insomnia Type/
Hypersomnia Type/Parasomnia Type/
Mixed Type
Specify if: With Onset During
Intoxication/With Onset During
Withdrawal

Limpulse-Control Disorders Not Elsewhere Glassified (609)

312.34 Intermittent Explosive Disorder (609)

312.32 Kleptomania (612)

312.33 Pyromania (614)

312.31 Pathological Gambling (615)

312.39 Trichotillomania (618)

312.30 Impulse-Control Disorder NOS (621)

Adjustment Disorders (6)

309.xx Adjustment Disorder (623)

.0 With Depressed Mood

.24 With Anxiety

.28 With Mixed Anxiety and Depressed Mood

3 With Disturbance of Conduct

.4 With Mixed Disturbance of Emotions and Conduct

.9 Unspecified Specify if: Acute/Chronic

Personality Disorders (629)

Note: These are coded on Axis II.

301.0 Paranoid Personality Disorder (634)

301.20 Schizoid Personality Disorder (638)

301.22 Schizotypal Personality Disorder (641)

301.7 Antisocial Personality Disorder (645)

301.83 Borderline Personality Disorder (650)

301.50 Histrionic Personality Disorder (655)

301.81 Narcissistic Personality Disorder (658)

301.82 Avoidant Personality Disorder (662)

301.6 Dependent Personality Disorder (665)

301.4 Obsessive-Compulsive Personality Disorder (669)

301.9 Personality Disorder NOS (673)

Other Conditions That May Be a Focus of Clinical Attention (675)

PSYCHOLOGICAL FACTORS AFFECTING MEDICAL CONDITION (675)

Affecting . . . [Indicate the General Medical Condition] (675)
Choose name based on nature of factors:

Mental Disorder Affecting Medical Condition

Psychological Symptoms Affecting Medical Condition

Personality Traits or Coping Style Affecting Medical Condition

Maladaptive Health Behaviors
Affecting Medical Condition

Stress-Related Physiological

Response Affecting Medical Condition

Other or Unspecified
Psychological Factors
Affecting Medical Condition

is on victim)

is on victim)

Sexual Abuse of Adult (682) (code 995.81 if focus of attention

V61.1