

	ALL	Afghanistan 2015	Armenia 2010	Angola 2016	Bangladesh 2011	Burkina Faso 2010	Benin 2012							
Not married	0.026	2310	0	0	0.048	101	0	0	0.004	12	0.03	72		
Not having sex	0.093	8263	0.034	110	0.238	92	0.027	57	0.296	943	0.08	234	0.055	132
Infrequent sex	0.145	12883	0.031	100	0.216	83	0.054	114	0.32	1020	0.152	445	0.108	259
Menopausal/hysterectomy	0.001	89	0	0	0	0	0.001	2	0.005	16	0.001	3	0.002	5
Subfecund/infecund	0.029	2577	0.032	103	0.169	65	0.003	6	0.017	54	0.009	26	0.016	38
Postpartum amenorrhoeic	0.076	6753	0.055	178	0.019	7	0.034	71	0.112	357	0.057	167	0.024	58
Breastfeeding	0.157	13950	0.143	462	0.053	20	0.182	383	0.065	207	0.209	612	0.141	338
Fatalistic	0.078	6930	0.234	756	0.013	5	0.095	200	0.031	99	0.051	149	0.03	72
Respondent opposed	0.080	7108	0.082	265	0.216	83	0.093	195	0.055	175	0.063	184	0.051	122
Husband/partner opposed	0.087	7730	0.184	595	0.071	27	0.073	153	0.036	115	0.168	492	0.113	271
Others opposed	0.008	711	0.033	107	0	0	0.012	25	0.004	13	0.004	12	0.009	22
Religious prohibition	0.029	2577	0.072	233	0.003	1	0.012	25	0.006	19	0.017	50	0.025	60
Knows no method	0.028	2488	0.02	65	0.002	1	0.045	95	0.005	16	0.028	82	0.081	194
Knows no source	0.024	2132	0.012	39	0	0	0.031	65	0.003	10	0.01	29	0.041	98
Health concerns	0.177	15727	0	0	0.05	19	0	0	0	0	0	0	0	0
Fear of side effects	0.190	16882	0.175	565	0.014	5	0.12	252	0.127	405	0.141	413	0.181	434
Lack of access/too far	0.019	1688	0.027	87	0.008	3	0.01	21	0.005	16	0.051	149	0.01	24
Costs too much	0.030	2666	0.016	52	0	0	0.004	8	0.002	6	0.107	313	0.095	228
Inconvenient to use	0.020	1777	0.029	94	0.005	2	0.018	38	0.007	22	0.008	23	0.026	62
Interferes with body's processes	0.031	2754	0.033	107	0.007	3	0.01	21	0.06	191	0.008	23	0.018	43
Preferred method not available	0.006	533	0.007	23	0.076	29	0.001	2	0.001	3	0.002	6	0.01	24
No method available	0.004	355	0.009	29	0	0	0.006	13	0.001	3	0.001	3	0.006	14
OTHER	0.064	5686	0.069	223	0.01	4	0.165	347	0.022	70	0.074	217	0.025	60
DON'T KNOW	0.015	1333	0.025	81	0.012	5	0.038	80	0	0	0.003	9	0.094	225
Proportions among women with an unmet need (multiple reasons)														
Demand, V3	0.659	58553	0.611	1974	0.924	355	0.489	1028	0.901	2871	0.622	1820	0.427	1024
Supply, V1 (red)	0.111	9862	0.091	295	0.086	33	0.097	204	0.017	54	0.199	582	0.243	582
Supply, V2 (red + blue)	0.261	23190	0.38	1230	0.16	61	0.242	508	0.063	201	0.392	1148	0.42	1007
Supply, V3 (red + blue + green)	0.679	60330	0.617	1996	0.236	90	0.39	819	0.257	819	0.549	1607	0.645	1546
N_Unmet_Need	88851		3231		386		2102		3186		2927		2398	
Proportions among unmet need (at least one reason)														
Demand, V3	0.391	51381	0.246	1825	0.626	318	0.238	1008	0.629	2594	0.474	1616	0.22	951
Supply, V1 (red)	0.065	8542	0.034	252	0.063	32	0.049	207	0.011	45	0.15	512	0.124	536
Supply, V2 (red + blue)	0.155	20368	0.134	994	0.115	58	0.123	521	0.045	186	0.296	1009	0.212	916
Supply, V3 (red + blue + green)	0.298	39160	0.212	1573	0.164	83	0.197	834	0.176	726	0.415	1415	0.308	1331
N_Unmet_Need	131408		7420		508		4234		4124		3410		4323	
Proportions among all women														
Demand, V3	0.069	58553	0.067	1974	0.06	355	0.071	1028	0.081	2871	0.107	1820	0.062	1024
Supply, V1	0.012	9862	0.01	295	0.006	33	0.014	204	0.002	54	0.034	582	0.035	582
Supply, V2	0.027	23190	0.042	1230	0.01	61	0.035	508	0.006	201	0.067	1148	0.061	1007
Supply, V3	0.071	60330	0.068	1996	0.015	90	0.057	819	0.023	819	0.094	1607	0.093	1546
Total Unmet Need	0.198	167852	0.246	3231	0.135	799	0.333	4788	0.127	4523	0.244	4169	0.317	5262
N_Total	847738		29461		5922		14379		35612		17087		16599	

	Burundi 2010		DRC 2013-14		Congo 2011-12		Cote d'Ivoire 2011-12		Cameroon 2011		Colombia 2015	
Not married	0.008	10	0.040	110	0.082	79	0.029	45	0.019	37	0.042	70
Not having sex	0.04	50	0.089	245	0.076	73	0.057	88	0.152	293	0.066	110
Infrequent sex	0.066	83	0.137	377	0.095	91	0.101	155	0.169	325	0.218	364
Menopausal/hysterectomy	0	0	0.001	3	0	0	0	0	0	0	0	0
Subfecund/infecund	0.018	23	0.031	85	0.03	29	0.017	26	0.012	23	0.121	202
Postpartum amenorrhoeic	0.263	329	0.146	402	0.151	145	0.077	119	0.04	77	0.06	100
Breastfeeding	0.115	144	0.328	903	0.178	171	0.157	242	0.16	308	0	0
Fatalistic	0.141	177	0.030	83	0.004	4	0.027	42	0.015	29	0	0
Respondent opposed	0.048	60	0.109	300	0.046	44	0.097	149	0.075	144	0.047	79
Husband/partner opposed	0.133	167	0.114	314	0.076	73	0.103	159	0.095	183	0.032	54
Others opposed	0	0	0.006	17	0.014	13	0.01	15	0.008	15	0.005	8
Religious prohibition	0.068	85	0.054	149	0.015	14	0.03	46	0.033	64	0.006	10
Knows no method	0.016	20	0.045	124	0.103	99	0.11	169	0.096	185	0.001	2
Knows no source	0.01	13	0.120	330	0.058	56	0.107	165	0.105	202	0.006	10
Health concerns	0	0	0.000	0	0	0	0	0	0.072	139	0.11	184
Fear of side effects	0.147	184	0.160	441	0.138	133	0.202	311	0.157	302	0.057	95
Lack of access/too far	0.004	5	0.028	77	0.003	3	0.027	42	0.016	31	0.027	45
Costs too much	0.004	5	0.042	116	0.112	108	0.031	48	0.087	168	0.024	40
Inconvenient to use	0.014	18	0.015	41	0.012	12	0.018	28	0.025	48	0	0
Interferes with body's processes	0.013	16	0.025	69	0.026	25	0.061	94	0.019	37	0	0
Preferred method not available	0.011	14	0.020	55	0.012	12	0.015	23	0	0	0	0
No method available	0	0	0.012	33	0.009	9	0.01	15	0	0	0	0
OTHER	0.044	55	0.056	154	0.081	78	0.104	160	0.105	202	0.067	112
DON'T KNOW	0.01	13	0.007	19	0.016	15	0.026	40	0.013	25	0.01	17
Proportions among women with an unmet need												
Demand, V3	0.691	866	0.871	2398	0.58	557	0.533	821	0.623	1199	0.512	855
Supply, V1 (red)	0.045	57	0.267	735	0.297	287	0.3	462	0.304	586	0.058	97
Supply, V2 (red + blue)	0.254	319	0.481	1325	0.484	466	0.472	727	0.459	885	0.143	239
Supply, V3 (red + blue + green)	0.428	537	0.681	1876	0.66	636	0.753	1160	0.732	1411	0.31	518
N_Unmet_Need		1252		2754		963		1539		1926		1672
Proportions among unmet need (at least one method)												
Demand, V3	0.43	778	0.407	1761	0.28	485	0.295	692	0.352	989	0.328	594
Supply, V1 (red)	0.029	52	0.14	606	0.152	263	0.135	317	0.161	453	0.034	62
Supply, V2 (red + blue)	0.169	306	0.256	1108	0.223	386	0.23	540	0.249	700	0.089	161
Supply, V3 (red + blue + green)	0.279	505	0.345	1493	0.302	523	0.359	843	0.369	1037	0.192	348
N_Unmet_Need		1810		4327		1733		2347		2811		2501
Proportions among all women												
Demand, V3	0.092	866	0.127	2398	0.051	557	0.082	821	0.078	1199	0.024	855
Supply, V1	0.006	57	0.039	735	0.027	287	0.046	462	0.038	586	0.003	97
Supply, V2	0.034	319	0.07	1325	0.043	466	0.072	727	0.057	885	0.007	239
Supply, V3	0.057	537	0.1	1876	0.059	636	0.115	1160	0.091	1411	0.014	518
Total Unmet Need	0.328	3080	0.26	4895	0.158	1709	0.262	2636	0.227	3502	0.033	1187
N_Total		9389		18827		10819		10060		15426		35979

	Dominican Republic 2013		Egypt 2014		Ethiopia 2011		Ethiopia 2016		Gabon 2012		Ghana 2014		Gambia 2013	
Not married	0.041	20	0	0	0.031	60	0.011	15	0.08	91	0.024	33	0.005	7
Not having sex	0.073	36	0.05	99	0.055	107	0.034	45	0.076	86	0.076	104	0.066	97
Infrequent sex	0.182	90	0.299	590	0.04	78	0.056	74	0.115	131	0.129	176	0.091	134
Menopausal/hysterectomy	0	0	0.001	2	0	0	0.000	0	0	0	0	0	0	0
Subfecund/infecund	0.076	38	0.08	158	0.005	10	0.030	40	0.007	8	0.021	29	0.006	9
Postpartum amenorrhoeic	0.043	21	0.051	101	0.193	376	0.073	97	0.054	61	0.062	85	0.032	47
Breastfeeding	0.042	21	0.027	53	0.125	244	0.144	191	0.123	140	0.057	78	0.327	480
Fatalistic	0.053	26	0.086	170	0.101	197	0.235	311	0.024	27	0.052	71	0.142	209
Respondent opposed	0.105	52	0.016	32	0.026	51	0.067	89	0.056	64	0.074	101	0.256	376
Husband/partner opposed	0.022	11	0.039	77	0.065	127	0.046	61	0.076	86	0.051	70	0.126	185
Others opposed	0.005	2	0.002	4	0.01	19	0.009	12	0.012	14	0.008	11	0.005	7
Religious prohibition	0.004	2	0.001	2	0.061	119	0.084	111	0.026	30	0.018	25	0.064	94
Knows no method	0.003	1	0	0	0.039	76	0.005	7	0.062	70	0.003	4	0.057	84
Knows no source	0.004	2	0.002	4	0.039	76	0.005	7	0.051	58	0.009	12	0.03	44
Health concerns	0	0	0.234	461	0	0	0.000	0	0	0	0	0	0	0
Fear of side effects	0.248	123	0.154	304	0.231	450	0.150	199	0.156	177	0.436	596	0.114	167
Lack of access/too far	0.007	3	0.004	8	0.024	47	0.022	29	0.009	10	0.011	15	0.013	19
Costs too much	0	0	0	0	0.005	10	0.007	9	0.049	56	0.043	59	0.003	4
Inconvenient to use	0.012	6	0.011	22	0.047	92	0.017	23	0.046	52	0.054	74	0.005	7
Interferes with body's processes	0.037	18	0.009	18	0.05	97	0.012	16	0.017	19	0.051	70	0.018	26
Preferred method not available	0.01	5	0.001	2	0.002	4	0.006	8	0.007	8	0.004	5	0	0
No method available	0.032	16	0.001	2	0.003	6	0.001	1	0.003	3	0.002	3	0.003	4
OTHER	0.064	32	0.016	32	0.083	162	0.050	66	0.169	192	0.039	53	0.011	16
DON'T KNOW	0.024	12	0.001	2	0.017	33	0.009	12	0.044	50	0.003	4	0.001	1
Proportions among women with an unmet need														
Demand, V3	0.574	284	0.61	1205	0.545	1063	0.639	847	0.455	517	0.471	644	0.92	1352
Supply, V1 (red)	0.056	27	0.008	16	0.112	219	0.046	61	0.181	205	0.072	98	0.106	155
Supply, V2 (red + blue)	0.128	62	0.05	99	0.279	544	0.196	260	0.375	426	0.173	237	0.306	448
Supply, V3 (red + blue + green)	0.425	209	0.458	904	0.607	1183	0.375	498	0.594	674	0.714	977	0.443	648
N_Unmet_Need		497		1972		1949		1324		1136		1367		1469
Proportions among unmet need (at least)														
Demand, V3	0.334	269	0.442	1162	0.377	961	0.408	816	0.225	444	0.292	570	0.643	1170
Supply, V1 (red)	0.034	27	0.005	13	0.076	194	0.03	60	0.083	164	0.046	90	0.066	120
Supply, V2 (red + blue)	0.079	64	0.036	95	0.193	492	0.125	250	0.178	351	0.111	217	0.196	357
Supply, V3 (red + blue + green)	0.26	209	0.319	838	0.407	1037	0.244	488	0.272	537	0.418	816	0.279	508
N_Unmet_Need		804		2628		2548		2000		1974		1952		1819
Proportions among all women														
Demand, V3	0.03	284	0.055	1205	0.064	1063	0.054	847	0.061	517	0.069	644	0.132	1352
Supply, V1	0.003	27	0.001	16	0.013	219	0.004	61	0.024	205	0.01	98	0.015	155
Supply, V2	0.007	62	0.005	99	0.033	544	0.017	260	0.051	426	0.025	237	0.044	448
Supply, V3	0.022	209	0.042	904	0.072	1183	0.032	498	0.08	674	0.104	977	0.063	648
Total Unmet Need	0.079	740	0.126	2742	0.266	4393	0.222	3482	0.238	2004	0.281	2640	0.248	2538
N_Total		9372		21762		16515		15683		8422		9396		10233

	Guinea 2012		Guatemala 2014-15		Honduras 2011-12		Haiti 2012		Indonesia 2012		Jordan 2012		Kenya 2008		Cambodia 2010	
Not married	0.001	1	0.061	115	0.028	31	0.053	146	0.008	24	0	0	0.063	93	0.001	1
Not having sex	0.086	114	0.273	515	0.302	335	0.016	44	0.016	48	0.168	141	0.066	98	0.123	147
Infrequent sex	0.065	87	0.258	487	0.232	258	0.163	449	0.208	622	0.136	114	0.192	284	0.347	415
Menopausal/hysterectomy	0	0	0	0	0	0	0	0	0.001	3	0.001	1	0	0	0	0
Subfecund/infecund	0.004	5	0.066	125	0.059	65	0.01	28	0.019	57	0.009	8	0.02	30	0.036	43
Postpartum amenorrhoeic	0.014	19	0.126	238	0.057	63	0.108	298	0.041	123	0.064	54	0.092	136	0.035	42
Breastfeeding	0.483	643	0.054	102	0.076	84	0.095	262	0.024	72	0.042	35	0.082	121	0.092	110
Fatalistic	0.061	81	0.03	57	0.014	16	0.054	149	0.023	69	0	0	0.032	47	0.108	129
Respondent opposed	0.116	154	0.057	108	0.046	51	0.221	609	0.005	15	0.021	18	0.039	58	0.033	40
Husband/partner opposed	0.076	101	0.09	170	0.064	71	0.056	154	0.016	48	0.087	73	0.061	90	0.018	22
Others opposed	0.003	4	0.008	15	0.006	7	0.008	22	0.001	3	0.002	2	0.003	4	0.001	1
Religious prohibition	0.084	112	0.009	17	0.024	27	0.042	116	0.000	0	0.001	1	0.027	40	0	0
Knows no method	0.05	67	0.02	38	0.003	3	0.003	8	0.009	27	0	0	0.012	18	0.011	13
Knows no source	0.125	166	0.021	40	0	0	0.006	17	0.001	3	0	0	0.007	10	0.005	6
Health concerns	0	0	0	0	0	0	0	0	0.000	0	0.194	162	0	0	0.344	412
Fear of side effects	0.103	137	0.154	291	0.183	203	0.42	1158	0.271	810	0.129	108	0.362	536	0	0
Lack of access/too far	0.019	25	0.026	49	0.02	22	0.014	39	0.003	9	0.001	1	0.006	9	0.01	12
Costs too much	0.039	52	0.014	26	0.007	8	0.016	44	0.033	99	0.016	13	0.014	21	0	0
Inconvenient to use	0.003	4	0.007	13	0.005	6	0.029	80	0.040	120	0.019	16	0.009	13	0.021	25
Interferes with body's processes	0.01	13	0.01	19	0.021	23	0.105	289	0.039	117	0.018	15	0.047	70	0.019	23
Preferred method not available	0.008	11	0.007	13	0.007	8	0.006	17	0.000	0	0	0	0.01	15	0.015	18
No method available	0.005	7	0.005	9	0.002	2	0.002	6	0.000	0	0	0	0	0	0	0
OTHER	0.016	21	0.009	17	0.084	93	0.042	116	0.358	1070	0.057	48	0.082	121	0.082	98
DON'T KNOW	0.002	3	0	0	0.008	9	0.001	3	0.014	42	0.008	7	0.002	3	0.004	5
Proportions among women with an unmet need																
Demand, V3	0.829	1103	0.864	1632	0.786	872	0.667	1839	0.337	1009	0.441	371	0.523	774	0.774	926
Supply, V1 (red)	0.246	328	0.093	175	0.039	43	0.047	131	0.046	138	0.017	14	0.049	73	0.041	49
Supply, V2 (red + blue)	0.41	546	0.261	492	0.161	179	0.206	569	0.071	213	0.107	90	0.203	300	0.061	73
Supply, V3 (red + blue + green)	0.526	700	0.432	815	0.37	411	0.76	2096	0.421	1260	0.467	391	0.621	919	0.445	533
N_Unmet_Need	1331		1887		1110		2756		2989		837		1480		1197	
Proportions among unmet need (at least)																
Demand, V3	0.503	915	0.59	1421	0.489	796	0.459	1603	0.243	1000	0.3	366	0.344	714	0.567	822
Supply, V1 (red)	0.146	266	0.062	149	0.024	39	0.031	108	0.033	136	0.012	15	0.032	66	0.034	49
Supply, V2 (red + blue)	0.247	450	0.183	441	0.103	168	0.15	524	0.052	214	0.075	91	0.141	293	0.05	73
Supply, V3 (red + blue + green)	0.313	570	0.294	708	0.23	374	0.493	1722	0.291	1198	0.278	339	0.41	851	0.353	512
N_Unmet_Need	1820		2409		1628		3493		4117		1219		2075		1450	
Proportions among all women																
Demand, V3	0.121	1103	0.063	1632	0.038	872	0.129	1839	0.022	1009	0.033	371	0.025	774	0.053	926
Supply, V1	0.036	328	0.007	175	0.002	43	0.009	131	0.003	138	0.001	14	0.002	73	0.003	49
Supply, V2	0.06	546	0.019	492	0.008	179	0.04	569	0.005	213	0.008	90	0.01	300	0.004	73
Supply, V3	0.077	700	0.031	815	0.018	411	0.147	2096	0.028	1260	0.034	391	0.03	919	0.03	533
Total Unmet Need	0.233	2130	0.124	3213	0.09	2048	0.338	4829	0.113	5154	0.117	1328	0.173	5377	0.124	2180
N_Total	9142		25914		22757		14287		45607		11352		31079		17578	

	Comoros 2012		Kyrgyzstan 2012		Liberia 2013		Lesotho 2009		Mali 2013		Malawi 2015-16		Mozambique 2011		Nigeria 2013	
Not married	0.01	7	0.029	19	0.016	32	0.052	34	0.018	27	0.078	160	0.043	87	0.008	27
Not having sex	0.056	39	0.055	35	0.102	201	0.207	136	0.044	67	0.115	235	0.094	189	0.052	176
Infrequent sex	0.061	43	0.121	78	0.07	138	0.241	158	0.088	134	0.154	315	0.141	284	0.143	484
Menopausal/hysterectomy	0	0	0	0	0	0	0	0	0.001	2	0.003	6	0	0	0	0
Subfecund/infecund	0.021	15	0.062	40	0.019	37	0.077	50	0.020	30	0.07	143	0.014	28	0.018	61
Postpartum amenorrhoeic	0.029	20	0.024	15	0.062	122	0.018	12	0.043	65	0.061	125	0.014	28	0.045	152
Breastfeeding	0.162	113	0.352	226	0.264	520	0.083	54	0.178	270	0.099	202	0.325	655	0.228	771
Fatalistic	0.003	2	0.086	55	0.073	144	0.025	16	0.059	90	0.039	80	0.139	280	0.076	257
Respondent opposed	0.069	48	0.122	78	0.146	288	0.016	10	0.085	129	0.046	94	0.055	111	0.158	535
Husband/partner opposed	0.092	64	0.148	95	0.072	142	0.047	31	0.197	299	0.034	70	0.078	157	0.111	376
Others opposed	0.009	6	0.004	3	0.027	53	0	0	0.030	46	0.007	14	0.009	18	0.011	37
Religious prohibition	0.058	40	0.027	17	0.014	28	0.004	3	0.070	106	0.01	20	0.007	14	0.071	240
Knows no method	0.001	1	0.004	3	0.036	71	0.001	1	0.060	91	0.001	2	0.005	10	0.08	271
Knows no source	0.002	1	0.013	8	0.011	22	0.003	2	0.055	83	0.003	6	0.011	22	0.052	176
Health concerns	0	0	0	0	0	0	0	0	0.000	0	0	0	0	0	0	0
Fear of side effects	0.29	202	0.194	125	0.203	400	0.091	60	0.076	115	0.17	348	0.08	161	0.153	518
Lack of access/too far	0.003	2	0.007	4	0.039	77	0.026	17	0.031	47	0.023	47	0.052	105	0.019	64
Costs too much	0.149	104	0	0	0.014	28	0.014	9	0.047	71	0.013	27	0.06	121	0.024	81
Inconvenient to use	0.013	9	0.008	5	0.057	112	0.018	12	0.008	12	0.021	43	0.004	8	0.03	101
Interferes with body's processes	0.018	13	0.018	12	0.072	142	0.012	8	0.018	27	0.025	51	0.005	10	0.056	189
Preferred method not available	0.019	13	0.003	2	0.005	10	0.003	2	0.007	11	0.015	31	0.009	18	0.009	30
No method available	0.004	3	0.002	1	0.007	14	0.004	3	0.000	0	0.004	8	0.002	4	0.007	24
OTHER	0.042	29	0.078	50	0.015	30	0.066	43	0.039	59	0.052	106	0.009	18	0.014	47
DON'T KNOW	0.023	16	0.006	4	0.013	26	0.075	49	0.021	32	0.025	51	0.011	22	0.008	27
Proportions among women with an unmet need																
Demand, V3	0.401	280	0.822	527	0.736	1450	0.667	436	0.518	787	0.587	1200	0.782	1575	0.72	2436
Supply, V1 (red)	0.178	124	0.029	18	0.112	222	0.051	34	0.200	303	0.059	121	0.139	280	0.191	646
Supply, V2 (red + blue)	0.347	241	0.237	152	0.241	477	0.154	102	0.515	781	0.188	385	0.276	556	0.392	1326
Supply, V3 (red + blue + green)	0.668	465	0.457	294	0.573	1131	0.275	182	0.617	935	0.404	827	0.365	735	0.631	2134
N_Unmet_Need	698		642		1971		655		1518		2045		2014		3383	
Proportions among unmet need (at least one method available)																
Demand, V3	0.248	273	0.478	450	0.42	1136	0.499	413	0.317	749	0.301	1105	0.477	1363	0.404	2117
Supply, V1 (red)	0.112	123	0.015	14	0.069	187	0.041	34	0.108	255	0.031	114	0.093	266	0.095	498
Supply, V2 (red + blue)	0.215	237	0.145	137	0.15	406	0.118	98	0.26	615	0.101	371	0.185	529	0.207	1084
Supply, V3 (red + blue + green)	0.396	436	0.269	253	0.344	930	0.205	170	0.314	742	0.213	782	0.236	674	0.326	1708
N_Unmet_Need	1100		942		2704		827		2364		3672		2858		5239	
Proportions among all women																
Demand, V3	0.053	280	0.064	527	0.157	1450	0.066	436	0.075	787	0.049	1200	0.115	1575	0.063	2436
Supply, V1	0.023	124	0.002	18	0.024	222	0.005	34	0.029	303	0.005	121	0.02	280	0.017	646
Supply, V2	0.045	241	0.019	152	0.052	477	0.015	102	0.075	781	0.016	385	0.04	556	0.034	1326
Supply, V3	0.087	465	0.036	294	0.122	1131	0.027	182	0.09	935	0.034	827	0.053	735	0.055	2134
Total Unmet Need	0.322	1716	0.181	1486	0.287	2652	0.184	1218	0.256	2669	0.187	4593	0.224	3079	0.159	6193
N_Total	5329		8208		9239		6621		10424		24562		13745		38948	

	Niger 2012		Namibia 2013		Nepal 2011		Philippines 2013		Pakistan 2012-13		Rwanda 2010	
Not married	0	0	0.045	30	0	0	0.021	32	0.000	0	0.019	43
Not having sex	0.117	144	0.102	67	0.027	59	0.104	157	0.147	304	0.05	112
Infrequent sex	0.084	103	0.039	26	0.111	245	0.294	444	0.198	409	0.182	409
Menopausal/hysterectomy	0	0	0.002	1	0	0	0	0	0.002	4	0.001	2
Subfecund/infecund	0.015	18	0.03	20	0.011	24	0.084	127	0.094	194	0.005	11
Postpartum amenorrhoeic	0.089	109	0.056	37	0.061	134	0.044	66	0.052	107	0.311	699
Breastfeeding	0.15	185	0.118	78	0.035	77	0.049	74	0.122	252	0.106	238
Fatalistic	0.218	268	0.032	21	0.006	13	0.059	89	0.382	789	0.079	178
Respondent opposed	0.057	70	0.055	36	0.006	13	0.076	115	0.015	31	0.031	70
Husband/partner opposed	0.088	108	0.065	43	0.046	101	0.049	74	0.137	283	0.035	79
Others opposed	0.004	5	0.008	5	0.005	11	0.001	2	0.007	14	0.002	4
Religious prohibition	0.027	33	0.007	5	0.007	15	0.023	35	0.050	103	0.018	40
Knows no method	0.046	57	0.021	14	0	0	0.011	17	0.006	12	0.003	7
Knows no source	0.024	30	0.002	1	0.003	7	0.003	5	0.012	25	0.001	2
Health concerns	0	0	0	0	0	0	0	0	0.000	0	0	0
Fear of side effects	0.057	70	0.201	132	0.089	196	0.338	511	0.214	442	0.251	564
Lack of access/too far	0.042	52	0.052	34	0.008	18	0.007	11	0.024	50	0.006	13
Costs too much	0.018	22	0.1	66	0.002	4	0.08	121	0.012	25	0.001	2
Inconvenient to use	0.042	52	0.008	5	0.004	9	0.023	35	0.012	25	0.018	40
Interferes with body's processes	0.01	12	0.039	26	0.011	24	0.02	30	0.042	87	0.053	119
Preferred method not available	0.007	9	0.003	2	0.002	4	0	0	0.007	14	0.001	2
No method available	0.005	6	0.001	1	0.001	2	0.001	2	0.002	4	0.001	2
OTHER	0.046	57	0.208	137	0.039	86	0.019	29	0.079	163	0.124	279
DON'T KNOW	0.011	14	0.024	16	0.004	9	0.002	3	0.003	6	0.002	4
Proportions among women with an unmet need												
Demand, V3	0.73	897	0.434	286	0.257	565	0.71	1072	1.012	2090	0.765	1719
Supply, V1 (red)	0.142	176	0.179	118	0.016	35	0.102	156	0.063	130	0.013	28
Supply, V2 (red + blue)	0.261	322	0.304	201	0.074	162	0.196	299	0.257	530	0.087	194
Supply, V3 (red + blue + green)	0.37	456	0.552	364	0.178	391	0.577	875	0.525	1084	0.409	917
N_Unmet_Need		1230		658		2203		1511		2065		2247
Proportions among unmet need (at least one method)												
Demand, V3	0.496	815	0.221	252	0.211	532	0.509	947	0.598	1652	0.462	1470
Supply, V1 (red)	0.097	159	0.096	109	0.014	35	0.082	153	0.042	116	0.009	29
Supply, V2 (red + blue)	0.181	298	0.163	186	0.064	161	0.15	279	0.171	472	0.059	188
Supply, V3 (red + blue + green)	0.258	424	0.28	319	0.147	370	0.419	779	0.319	881	0.253	805
N_Unmet_Need		1644		1139		2519		1860		2762		3182
Proportions among all women												
Demand, V3	0.08	897	0.031	286	0.045	565	0.066	1072	0.154	2090	0.063	1719
Supply, V1	0.016	176	0.013	118	0.003	35	0.01	156	0.01	130	0.001	28
Supply, V2	0.029	322	0.022	201	0.013	162	0.019	299	0.039	530	0.007	194
Supply, V3	0.041	456	0.04	364	0.031	391	0.054	875	0.08	1084	0.034	917
Total Unmet Need	0.16	1786	0.15	1376	0.275	3485	0.161	2601	0.201	2725	0.196	5325
N_Total		11160		9176		12674		16155		13558		27168

	Sierra Leone 2013		Senegal 2010-11		Chad 2014-15		Togo 2013-14		Tajikistan 2012		Tanzania 2015-16	
Not married	0.025	54	0.007	15	0.007	14	0.02	36	0.001	1	0.015	24
Not having sex	0.189	412	0.085	179	0.058	112	0.048	87	0.137	149	0.088	139
Infrequent sex	0.062	135	0.095	241	0.127	246	0.155	281	0.165	180	0.114	180
Menopausal/hysterectomy	0	0	0	0	0.002	4	0	0	0	0	0	0
Subfecund/infecund	0.046	100	0.007	18	0.018	35	0.008	14	0.093	101	0.006	9
Postpartum amenorrhoeic	0.027	59	0.056	142	0.061	118	0.066	120	0.028	31	0.065	103
Breastfeeding	0.363	791	0.201	510	0.413	800	0.203	368	0.208	227	0.142	225
Fatalistic	0.098	214	0.047	119	0.029	56	0.112	203	0.112	122	0.083	131
Respondent opposed	0.092	200	0.157	398	0.109	211	0.085	154	0.253	276	0.143	226
Husband/partner opposed	0.088	192	0.108	274	0.1	194	0.074	134	0.115	125	0.143	226
Others opposed	0.009	20	0.007	18	0.006	12	0.005	9	0.014	15	0.01	16
Religious prohibition	0.011	24	0.029	74	0.046	89	0.014	25	0.009	10	0.005	8
Knows no method	0.024	52	0.028	71	0.134	260	0.023	42	0.002	2	0.003	5
Knows no source	0.013	28	0.021	53	0.052	101	0.027	49	0.001	1	0.012	19
Health concerns	0	0	0	0	0	0	0	0	0	0	0	0
Fear of side effects	0.111	242	0.121	307	0.072	139	0.32	580	0.139	152	0.385	609
Lack of access/too far	0.022	48	0.012	30	0.007	14	0.01	18	0.006	7	0.024	38
Costs too much	0.051	111	0.032	81	0.022	43	0.051	92	0.009	10	0.008	13
Inconvenient to use	0.023	50	0.01	25	0.004	8	0.027	49	0.01	11	0.013	21
Interferes with body's processes	0.033	72	0.013	33	0.01	19	0.038	69	0.011	12	0.014	22
Preferred method not available	0.004	9	0.003	8	0.008	15	0.001	2	0.009	10	0.007	11
No method available	0.002	4	0	0	0.003	6	0	0	0.002	2	0.001	2
OTHER	0.028	61	0.013	33	0.063	122	0.037	67	0.025	27	0.042	66
DON'T KNOW	0.012	26	0.053	135	0.026	50	0.005	9	0.008	9	0.009	14
Proportions among women with an unmet need												
Demand, V3	0.877	1911	0.648	1607	0.817	1582	0.677	1227	0.996	1086	0.641	1013
Supply, V1 (red)	0.116	252	0.096	243	0.226	439	0.112	203	0.029	32	0.055	88
Supply, V2 (red + blue)	0.249	542	0.247	624	0.385	748	0.225	407	0.168	183	0.228	362
Supply, V3 (red + blue + green)	0.416	906	0.391	989	0.471	914	0.61	1105	0.328	358	0.64	1014
N_Unmet_Need		2179		2538		1937		1811		1090		1582
Proportions among unmet need (at least)												
Demand, V3	0.447	1514	0.46	1559	0.399	1309	0.418	1007	0.628	931	0.373	860
Supply, V1 (red)	0.068	230	0.069	234	0.111	364	0.075	181	0.021	31	0.036	83
Supply, V2 (red + blue)	0.147	498	0.178	603	0.194	637	0.15	362	0.119	176	0.148	341
Supply, V3 (red + blue + green)	0.233	789	0.281	952	0.231	758	0.392	945	0.216	320	0.376	867
N_Unmet_Need		3386		3389		3281		2410		1482		2306
Proportions among all women												
Demand, V3	0.115	1911	0.102	1607	0.089	1582	0.129	1227	0.112	1086	0.076	1013
Supply, V1	0.015	252	0.015	243	0.025	439	0.021	203	0.003	32	0.007	88
Supply, V2	0.033	542	0.04	624	0.042	748	0.043	407	0.019	183	0.027	362
Supply, V3	0.054	906	0.063	989	0.052	914	0.117	1105	0.037	358	0.076	1014
Total Unmet Need	0.247	4115	0.3	4706	0.223	3951	0.324	3072	0.231	2231	0.217	2879
N_Total		16658		15688		17719		9480		9656		13266

	Uganda 2011		Yemen 2013		Zambia 2013-14		Zimbabwe 2010-11		Zimbabwe 2015	
Not married	0.012	16	0	0	0.093	163	0.084	52	0.07	36
Not having sex	0.051	69	0.096	287	0.101	177	0.235	147	0.22	114
Infrequent sex	0.108	147	0.139	415	0.121	212	0.226	141	0.243	126
Menopausal/hysterectomy	0.000	0	0	0	0.001	2	0.004	2	0	0
Subfecund/infecund	0.034	46	0.011	33	0.064	112	0.035	22	0.034	18
Postpartum amenorrhoeic	0.158	214	0.041	122	0.147	257	0.031	19	0.006	3
Breastfeeding	0.159	216	0.108	323	0.148	259	0.093	58	0.071	37
Fatalistic	0.060	81	0.072	215	0.028	49	0.033	21	0.007	4
Respondent opposed	0.071	96	0.093	278	0.03	53	0.048	30	0.016	8
Husband/partner opposed	0.095	129	0.138	412	0.082	144	0.059	37	0.05	26
Others opposed	0.022	30	0.006	18	0.003	5	0.004	2	0.008	4
Religious prohibition	0.011	15	0.023	69	0.008	14	0.065	41	0.078	40
Knows no method	0.009	12	0.012	36	0.007	12	0	0	0.001	1
Knows no source	0.020	27	0.008	24	0.005	9	0.005	3	0	0
Health concerns	0.000	0	0	0	0	0	0	0	0	0
Fear of side effects	0.345	468	0.329	983	0.253	443	0.115	72	0.152	79
Lack of access/too far	0.026	35	0.024	72	0.036	63	0.015	9	0.032	17
Costs too much	0.023	31	0.032	96	0.005	9	0.039	24	0.01	5
Inconvenient to use	0.025	34	0.045	134	0.011	19	0.012	7	0.015	8
Interferes with body's processes	0.058	79	0.023	69	0.038	67	0.014	9	0.027	14
Preferred method not available	0.006	8	0.003	9	0.005	9	0.008	5	0.008	4
No method available	0.005	7	0.009	27	0.004	7	0.004	2	0.001	1
OTHER	0.111	151	0.034	102	0.071	124	0.051	32	0.047	24
DON'T KNOW	0.011	15	0.005	15	0.014	25	0.005	3	0.011	6
Proportions among women with an unmet need										
Demand, V3	0.641	869	0.56	1673	0.64	1121	0.705	440	0.597	310
Supply, V1 (red)	0.089	120	0.088	264	0.062	109	0.071	43	0.052	28
Supply, V2 (red + blue)	0.229	310	0.255	763	0.248	435	0.283	175	0.258	134
Supply, V3 (red + blue + green)	0.657	891	0.652	1949	0.55	964	0.424	263	0.452	235
N_Unmet_Need		1357		2987		1751		624		518
Proportions among unmet need (at least one method)										
Demand, V3	0.382	700	0.345	1537	0.34	944	0.395	397	0.352	280
Supply, V1 (red)	0.059	108	0.046	205	0.033	92	0.041	41	0.033	26
Supply, V2 (red + blue)	0.153	280	0.151	673	0.147	408	0.168	169	0.156	124
Supply, V3 (red + blue + green)	0.385	706	0.365	1626	0.31	860	0.246	247	0.275	219
N_Unmet_Need		1833		4455		2775		1004		795
Proportions among all women										
Demand, V3	0.1	869	0.066	1673	0.068	1121	0.048	440	0.031	310
Supply, V1	0.014	120	0.01	264	0.007	109	0.005	43	0.003	28
Supply, V2	0.036	310	0.03	763	0.027	435	0.019	175	0.013	134
Supply, V3	0.103	891	0.077	1949	0.059	964	0.029	263	0.024	235
Total Unmet Need	0.349	3027	0.288	7325	0.212	3479	0.142	1302	0.104	1035
N_Total		8674		25434		16411		9171		9955