

URBAN ARCH Baseline Descriptive Data for ADEPTT and St. PETER

ADEPTT - Uganda ARCH (n=68)		St. PETER - Russia ARCH (n=108)	
	N (%)		N (%)
<u>DEMOGRAPHICS</u>		<u>DEMOGRAPHICS</u>	
Age, mean (SD)	41 [8]	Age, mean (SD)	37.5 [6.4]
Male	33 (48.5%)	Male	72 (66.7%)
Married	49 (72.1%)	Married or living with a partner	52 (48.1%)
Basic education or higher*	21 (30.9%)	Basic education or higher*	103 (95.4%)
Unemployed	1 (1.5%)	Unemployed	37 (34.3%)
<u>HEALTH INDICATORS</u>		<u>HEALTH INDICATORS</u>	
Depressive symptoms†	11 (16.2%)	Depressive symptoms†	45 (41.7%)
Antiretroviral medication, current	68 (100.0%)	Antiretroviral medication, current	80 (74.1%)
CD4 count, mean (SD)	737 [271]	CD4 count, mean (SD)	406.3 [214.4]
Hepatitis C infection	N/A	Hepatitis C infection (HCV Ab)	75 (79.8%)
Moderate/extreme pain interference, past 30 days	2 (2.9%)	Moderate/extreme pain interference, past 30 days	8 (7.4%)
Experienced a fall, past 3 months	1 (1.5%)	Experienced a fall, past 6 months	7 (6.5%)
Broken bone from fall, past 3 months	1 (1.5%)	Broken bone from fall, past 6 months	0 (0.0%)
TB, ever told by healthcare provider‡		TB, ever told by healthcare provider‡	
Yes - Active	0 (0.0)	Yes - Active	9 (8.3%)
Yes - Latent	1 (1.5%)	Yes - Latent	5 (4.6%)
<u>SUBSTANCE USE</u>		<u>SUBSTANCE USE</u>	
Alcohol use disorder, past year§	17 (25.4%)	Alcohol use disorder, past year§	95 (88.0%)
IDU as HIV transmission route	N/A	IDU as HIV transmission route	74 (70.5%)
Hazardous alcohol use, past 3 months	25 (37.3%)	Heavy alcohol use, past 30 days	106 (98.1%)
Current smoker	13 (19.1%)	Current smoker	108 (100.0%)
Heroin use, lifetime	0 (0.0)	Heroin use, lifetime	79 (73.1%)
Heroin use, past 3 months	0 (0.0)	Heroin use, past 30 days	1 (0.9%)
Marijuana use, past 3 months	0 (0.0)	Marijuana use, past 30 days	12 (11.1%)
Cocaine use, past 3 months	0 (0.0)	Cocaine use, past 30 days	1 (0.9%)
<p>* ≥ 9 grades † Based on CESD ≥ 16 ‡ Via self-report. Latent TB is an eligibility criteria, so all participants are confirmed positive with a TB skin test prior to enrolling and initiating treatment. § Based on DSM 5 criteria Based on AUDIT-C</p>		<p>* ≥ 9 grades † Based on CESD ≥ 16 ‡ Via self-report. Study testing was not done. § Based on DSM 5 criteria Based on TLFB, NIAAA consumption criteria</p>	